# (19) World Intellectual Property Organization International Bureau



## 

# (43) International Publication Date 30 November 2000 (30.11.2000)

#### **PCT**

# (10) International Publication Number WO 00/70941 A1

(51) International Patent Classification7: A01K 29/00, 1/00

(21) International Application Number: PCT/NL00/00308

(22) International Filing Date: 10 May 2000 (10.05.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

1012137

25 May 1999 (25.05.1999) NL

(71) Applicant (for all designated States except US): LELY RESEARCH HOLDING AG [CH/CH]; Bützenweg 20, CH-6300 Zug (CH).

(72) Inventor; and

(75) Inventor/Applicant (for US only): VAN DEN BERG,

Karel [NL/NL]; Boterbloemstraat 5, NL-2971 BR Bleskensgraaf (NL).

(74) Agent: CORTEN, Maurice, Jean, F., M.; Weverskade 10, NL-3155 PD Maasland (NL).

(81) Designated States (national): AU, CA, JP, US.


(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

#### Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AN UNMANNED VEHICLE TO BE USED IN A STABLE OR A MEADOW



(57) Abstract: The invention relates to an unmanned vehicle to be used in a stable (1), such as e.g. a cowshed, or in a meadow. The unmanned vehicle (3) is provided with detection means (4) for determining the health and/or the behaviour of animals. The detection means (4) comprise an animal identification system and/or a radar (8) and/or a camera (9). The unmanned vehicle (3) is further provided with driving means (14) for driving animals. On the unmanned vehicle (3) there are further provided disinfecting means (11) for disinfecting at least a part of the stable (1) and/or a part of an animal.

O 00/70941 A

#### AN UNMANNED VEHICLE TO BE USED IN A STABLE OR A MEADOW

The invention relates to an unmanned vehicle to be used in a stable, such as e.g. a cowshed, or in a meadow.

Such a vehicle is known.

5

10

20

25

The known vehicle is usually employed for cleaning the stable floor.

It is an objective of the invention to provide a multifunctional, unmanned vehicle.

In accordance with the invention, this is achieved in that the unmanned vehicle is provided with detection means for determining the health and/or the behaviour of animals. With the aid of its detection means the unmanned vehicle is capable of identifying animals which are ill and/or display abnormal behaviour. According to an inventive feature, the unmanned vehicle comprises alarm means for alarming a supervisor when an animal is ill or displays abnormal behaviour. In this manner it is possible to react quickly and adequately when there is something wrong with an animal.

According to a further inventive feature, the detection means comprise an animal identification system provided with a transmitter and a receiver. By means of the animal identification system there is determined for example whether an animal is lying or standing longer than usually at a certain place. This may be an indication that the animal is ill. According to another inventive feature, the animal identification system comprises a radar as well as reflectors reacting on the radar, which are disposed on the animals. Each of these reflectors has a unique code, so that it is possible to determine per animal how the animal is moving. In this manner it is also possible to determine abnormal behaviour of the animals. According to another inventive feature, the detection means comprise a camera, preferably constituted by an infrared camera. By means of image analysis of the images of the animals recorded by the camera it is possible for example to determine whether an animal has mastitis or is injured or has to be inseminated. It is also possible to track the animals by means of the camera. For enabling a still

10

15

20

35

better view of the animals, the detection means are disposed on a telescopic carrier. According to again another inventive feature, the unmanned vehicle comprises driving means for driving the animals. With the aid of the driving means animals can be separated from a group, e.g. for the purpose of being inseminated or examined by a veterinary surgeon. In a preferred embodiment of the invention, the driving means comprise an electric shock device.

According to another aspect of the invention, the unmanned vehicle comprises disinfecting means for disinfecting at least a part of the stable and/or a part of an animal. According to again another aspect of the invention, the disinfecting means are disposed on a telescopic carrier. The latter measure makes it possible to disinfect at places which are difficult to reach. For the purpose of rendering the unmanned vehicle still more multifunctional, it is provided with a manure slide for removing manure which is lying on a floor. According to another inventive feature, the unmanned vehicle is provided with navigation means for guiding the unmanned vehicle through the stable or the meadow. The navigation means may be the same as the above-described detection means.

The invention will now be explained in further detail with reference to the accompanying drawings.

Figure 1 is a plan view of a stable with an unmanned vehicle accommodated therein, which vehicle is provided with detection means according to the invention, and

Figure 2 is a side view of the unmanned vehicle shown in Figure 1.

Figure 1 is a plan view of a stable 1 provided with a milking robot 2 for automatically milking animals and an unmanned vehicle 3 which is provided with detection means 4 for determining the health and/or the behaviour of animals.

Figure 2 is a side view of the unmanned vehicle 3 according to the invention, which is provided with a chassis 5

with wheels 6. The wheels 6 are driven by a (non-shown) drive unit. On the chassis 5 there is disposed a rotatable upper part 7 on which the detection means 4 are mounted. In the present embodiment the detection means 4 comprise a radar 8 and a camera 9. The unmanned vehicle 3 is further provided with a transmitter unit including a transmitting element 10. By means of the transmitter unit the supervisor can be alarmed when an animal is ill and/or displays abnormal behaviour. On the rotatable upper part 7 there are further disposed disinfecting means 11 for disinfecting at least a part of the stable and/or at least a part of an animal. In the present embodiment the disinfecting means 11 comprise a sprayer 12 which is disposed on a telescopic carrier 13.

10

15

On the rotatable upper part 7 there are further disposed driving means 14 for driving animals. The driving means 14 are fitted to the upper side of the camera 9. The driving means 14 are connected to an electric shock device which is capable of emitting a pulse.

In the present embodiment the camera 9 is used to guide the unmanned vehicle through the stable and/or the meadow.

#### CLAIMS

25

35

- 1. An unmanned vehicle to be used in a stable (1), such as e.g. a cowshed, or in a meadow, characterized in that the unmanned vehicle (3) is provided with detection means (4) for determining the health and/or the behaviour of animals.
- 2. An unmanned vehicle as claimed in claim 1, characterized in that the detection means (4) comprise an animal identification system.
- 10 3. An unmanned vehicle as claimed in claim 2, characterized in that the animal identification system comprises a transmitter and a receiver.
  - 4. An unmanned vehicle as claimed in claim 2, characterized in that the animal identification system comprises a radar (8) as well as reflectors reacting to the radar.
  - 5. An unmanned vehicle as claimed in claim 2, characterized in that the detection means comprise a camera (9).
- 20 6. An unmanned vehicle as claimed in claim 5, characterized in that the camera (9) is constituted by an infrared camera.
  - 7. An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the detection means (4) are disposed on a telescopic carrier.
    - An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) is provided with driving means (14) for driving animals.
- 9. An unmanned vehicle as claimed in claim 8, characterized in that the driving means (14) comprise an electric shock device.
  - 10. An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) comprises disinfecting means (11) for disinfecting at least a part of the stable (1) and/or a part of an animal.


11. An unmanned vehicle as claimed in claim 10, characterized in that the disinfecting means (11) are disposed on a telescopic carrier (13).

5


- 12. An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) is provided with a manure slide for removing manure which is lying on a floor.
- 13. An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) comprises alarm means for alarming a supervisor when an animal is ill or displays abnormal behaviour.

10

- An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) is provided with navigation means for guiding the unmanned vehicle through the stable or the meadow.
- An unmanned vehicle as claimed in any one of the preceding claims, characterized in that the unmanned vehicle (3) comprises a rotatable upper part (7) on which the detection means (4) are disposed.



F19.1



## INTERNATIONAL SEARCH REPORT

International Application No PCT/NL 00/00308

A. CLASSI IPC 7	A01K29/00 A01K1/00		
According to	o International Patent Classification (IPC) or to both national d	accification and IDC	
	SEARCHED	BOSINGUOTI GIO II O	
	ocumentation searched (classification system followed by clas A01K B25J	sification symbols)	
Documenta	tion searched other than minimum documentation to the exten	t that such documents are included in the fields	searched
Electronic o	data base consulted during the international search (name of d	lata base and, where practical, search terms us	ed)
EPO-In	iternal, PAJ, WPI Data		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to claim No.
X	WO 96 14735 A (MAASLAND N.V.) 23 May 1996 (1996-05-23)		1,13,14
A	page 8, line 30 -page 9, line 1,2	11; figures	4-7
X	US 5 474 085 A (HURNIK) 12 December 1995 (1995-12-12) the whole document		1,5,6,13
A	FR 2 586 223 A (TROUVE) 20 February 1987 (1987-02-20) the whole document		1
		-/	
X Fur	ther documents are listed in the continuation of box C.	Patent family members are liste	d in annex.
"A" docum consi "E" earlier filing "L" docum which	ent which may throw doubts on priority claim(s) or a size of another	"T" later document published after the in or priority date and not in conflict will cited to understand the principle or invention  "X" document of particular relevance; the cannot be considered novel or canninvolve an inventive step when the cannot document of particular relevance; the	th the application but theory underlying the claimed invention to be considered to document is taken alone
"O" docum	on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or means nent published prior to the international filing date but than the priority date claimed	cannot be considered to involve an document is combined with one or ments, such combination being obvious the art.  "&" document member of the same pater	inventive step when the nore other such docu- ious to a person skilled
Date of the	actual completion of the international search	Date of mailing of the international s	earch report
2	27 July 2000	04/08/2000	
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentiaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3018		Authorized officer  Von Arx, V.	

1

## INTERNATIONAL SEARCH REPORT

International Application No
PCT/NL 00/00308

A 15		PCT/NL 00	/ 00308
	Citation of document, with indication, where appropriate, of the relevant passages	· · · · · · · · · · · · · · · · · · ·	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 16, no. 120 (E-1182), 26 March 1992 (1992-03-26) & JP 03 289310 A (TOSHIBA CORP.), 19 December 1991 (1991-12-19) abstract		1,4-7
A	WO 98 47351 A (AVID IDENTIFICATION SYSTEMS, INC.) 29 October 1998 (1998-10-29) the whole document		2,3,13
A	WO 97 31524 A (MAASLAND N.V.) 4 September 1997 (1997-09-04)		·
A	DE 29 09 325 A (HECHT) 11 September 1980 (1980-09-11)		
A	US 5 832 868 A (OOSTERLING) 10 November 1998 (1998-11-10)		

### INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No PCT/NL 00/00308

	<del></del>			
Patent docume cited in search re		Publication date	Patent family member(s)	Publication date
WO 9614735	A	23-05-1996	NL 9401876 A	03-06-1996
			EP 0739161 A	30-10-1996
			JP 9507761 T	12-08-1997
			US 5816192 A	06-10-1998
US 5474085	5 A	12-12-1995	AU 1703895 A	11-09-1995
			CA 2183232 A	31-08-1995
			WO 9523336 A	31-08-1995
FR 2586223	8 A	20-02-1987	NONE	
JP 0328931	10 A	19-12-1991	NONE	
WO 9847351	l A	29-10-1998	US 6012415 A	11-01-2000
			AU 6577998 A	13-11-1998
			AU 7250998 A	13-11-1998
			EP 1009224 A	21-06-2000
			EP 0977478 A	09-02-2000
			WO 9847350 A	29-10-1998
WO 9731524	A	04-09-1997	NL 1002487 C	01-09-1997
			AT 193180 T	15-06-2000
			AU 712994 B	18-11-1999
			AU 1736897 A	16-09-1997
			DE 69702097 D	29-06-2000
			EP 0822743 A	11-02-1998
			JP 11504526 T	27-04-1999
			US 5983833 A	16-11-1999
DE 290932	5 A	11-09-1980	DE 3027825 A	04-03-1982
US 5832868	3 A	10-11-1998	NL 9300443 A	03-10-1994
			DE 69406911 D	02-01-1998
			DE 69406911 T	19-03-1998
			EP 0688162 A	27-12-1995
			WO 9419931 A	15-09-1994